



 澳柯
AOKE

 AOKE
EUROPE

 AOKE
Southeast Asia

04 > AOKE China

06 > AOKE Europe B.V.

08 > Single motor desks

12 > Dual motor desks

24 > Triple motor desks

30 > Quadruple motor desks

34 > Bench desks

42 > Hand crank desks

46 > Desk risers

52 > Seating

58 > Accessories

66 > Leg covers

68 > Partition panels

70 > Table tops

72 > Parts

Contents



AOKE Office equipment CO. Ltd. A company, founded in 2012, is specialized in manufacturing linear actuators, lifting columns, height adjustable desks and some more other ergonomic desk accessories for 9 years.

With a strict commitment to “Green, Health and Comfort”, AOKE devotes to supplying only the highest quality products at competitive prices, together backed reputable service to our clients. By doing so we hope to empower people to love a more health conscious workplace.

Following our quick expansion, AOKE included two additional branches – one in the Netherlands and the other is located in Thailand - in order to provide a better overall customer experience and service.

With a strict commitment to “Green, Health and Comfort”,
AOKE devotes to supplying only the highest quality products at competitive prices.

The 45.000 square meter factory and professional equipment including advanced laser cutting technology and advanced powder painting machines ensures exceptionally high levels of productivity and operational efficiency. The inspection department safeguards quality while the sophisticated R&D department continuously innovates and has developed many unique patents. The products are best in class quality and are backed by CE, UL962, BIFMA FCC, ROHS, EN527, EMC, CAS, SAA, CB certifications.

AOKE China



Transport times from China to Europe are often longer than desired and for this reason AOKE Europe B.V. was established at the end of 2016. The company is located in the south of the Netherlands, in Echt. Logistically speaking, this is an ideal location for fast service to customers throughout Europe. AOKE Europe B.V. is specialized in distributing height-adjustable desk frames to wholesalers, retailers, architects or other companies located throughout Europe.

At the start of the company in 2016, the company first supplied only height-adjustable desk frames. But due to the increasing demand for other products by customers, this product range has been expanded. Today, the company also distributes chairs, table tops and other office furniture.


Within the company, customer focus and the delivery of quality products are of paramount importance.

In 2018 the company had its first relocation, the location where it all started became quickly too small. As a result, AOKE Europe B.V. had to move to a new location. At this new and current location, the company has a warehouse of 2.400m² at its disposal.

The company was founded with the focus to delivering European customers faster and to guarantee a better service. Due to the storage location in the Netherlands, the products can usually be delivered throughout Europe within five working days. Within the company, customer focus and the delivery of quality products are of paramount importance. Most products come with a 5-year warranty. Not only on some parts, but on the complete product. This warranty period is given because only high quality products are supplied. The high quality of our products is demonstrated by the fact that different certificates are available for different models and products, such as CE, EN527, RoHS, BIFMA, UL, EMC and many more.

Since 2016, the company's exports have grown particularly rapidly. While our products were distributed in only 5 European countries in 2016, this has grown to a total of 28 European countries over the past 5 years. Every day we look for new collaborations and long-term business relationships in order to make high quality height adjustable desks available to everyone. Of course not only in Europe, with the entire AOKE team we pursue this objective worldwide.

AOKE Europe B.V.



10 > Easy-up




Single motor desks



Easy-up

SKU: AK02YJYT-TY-A-F

> Product dimensions



> Parameters

Leg orientation	: square
Height adjustable range	: 690 - 1150 mm
Frame adjustable size	: 1075 - 1720 mm
Table top bracket	: 600 mm
Foot length	: 700 mm
Max. lifting capacity	: 100 kg
Max. speed	: 25 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 5 years
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: 1075 (l) * 315 (w) * 245 (h) mm
Net weight	: 27,6 kg
Gross weight	: 29,6 kg
Container quantities	: 20 GP / 288 sets : 40 HC / 648 sets

> Notes

> Column options



> Handset options



> Accessories



S = Standard included in EU stock products



14 > Prestige

16 > Flex


18 > Cubic

20 > Smart

22 > Motion

Dual motor desks

Prestige
SKU: AK2YJYT-YDZF3-HE



Parameters

- Leg orientation : square
- Height adjustable range : 625 - 1275 mm
- Frame adjustable size : 1075 - 1800 mm
- Table top bracket : 600 mm
- Foot length : 700 mm
- Max. lifting capacity : 120 kg
- Max. speed : 40 mm/s
- Noise level : < 45 dB
- Input : 110 - 230V
- Warranty period : 5 years
- Anti-collision type : T-touch (gyroscope)
- Available in : ● black (RAL 9005)
: ● white (RAL 9010)
: ● aluminum (RAL 9006)

Packing information

- Dimensions : 1075 (l) * 315 (w) * 220 (h) mm
- Net weight : 33,5 kg
- Gross weight : 34,5 kg
- Container quantities : 20 GP / 288 sets
: 40 HC / 720 sets

Notes

Column options



Handset options



Accessories






S = Standard included in EU stock products



Flex

SKU: AK2YJYT-YZB3-BM

> Product dimensions



> Parameters


Leg orientation	: rectangular
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 mm
Table top bracket	: 600 mm
Foot length	: 700 mm
Max. lifting capacity	: 80 kg
Max. speed	: 40 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 2 years
Anti-collision type	: gyroscope
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information


Dimensions	: 1075 (l) * 315 (w) * 220 (h) mm
Net weight	: 30,7 kg
Gross weight	: 32,7 kg
Container quantities	: 20 GP / 288 sets : 40 HC / 720 sets

> Notes

> Column options



> Handset options



> Accessories





S = Standard included in EU stock products



Cubic

SKU: AK2YJYT-TYZF3-A

> Product dimensions



> Parameters


Leg orientation	: square
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 mm
Table top bracket	: 600 mm
Foot length	: 700 mm
Max. lifting capacity	: 120 kg
Max. speed	: 40 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: 1075 (l) * 315 (w) * 220 (h) mm
Net weight	: 30,5 kg
Gross weight	: 32,5 kg
Container quantities	: 20 GP / 288 sets : 40 HC / 720 sets

> Notes

> Column options



> Handset options



> Accessories





S = Standard included in EU stock products



Smart

SKU: AK2YJYT-TYZB3-A

> Product dimensions



> Parameters


Leg orientation	: rectangular
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 mm
Table top bracket	: 600 mm
Foot length	: 700 mm
Max. lifting capacity	: 120 kg
Max. speed	: 40 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: 1075 (l) * 315 (w) * 220 (h) mm
Net weight	: 30 kg
Gross weight	: 31 kg
Container quantities	: 20 GP / 288 sets : 40 HC / 720 sets

> Notes

> Column options



TYZB3 column

TYZB2 column

> Handset options



TDH6 handset

TDH2 handset

TH14 handset

> Accessories




single monitor arm

double monitor arm

metal cable tray

plastic cable tube

personal drawer



cabinet

wireless charger

CPU-holder

table tops



S = Standard included in EU stock products



Motion

SKU: AK2YJRT-DB3-A

> Product dimensions



> Parameters

Leg orientation	: rectangular
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 mm
Table top bracket	: 600 mm
Foot length	: 700 mm
Max. lifting capacity	: 120 kg
Max. speed	: 40 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: 1075 (l) * 315 (w) * 220 (h) mm
Net weight	: 30 kg
Gross weight	: 32 kg
Container quantities	: 20 GP / 288 sets : 40 HC / 720 sets

> Notes

> Column options



> Handset options



> Accessories



S = Standard included in EU stock products




Triple motor desks

26 > Edge (90°)

28 > Meet (180°)

Triple motor desks



> Parameters


Leg orientation	: square
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 + 1076 - 1801 mm
Table top bracket	: 2 * 600 mm + 1 * 500 mm
Foot length	: 2 * 700 mm + 1 * 500 mm
Max. lifting capacity	: 150 kg
Max. speed	: 38 mm/s
Noise level	: < 50 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: box 1/2: 875 (l) * 475 (w) * 140 (h) mm : box 2/2: 1375 (l) * 315 (w) * 195 (h) mm
Net weight	: box 1 = 27 kg / box 2 = 21 kg
Gross weight	: box 1 = 28 kg / box 2 = 22 kg
Container quantities	: 20 GP / 250 sets : 40 HC / 336 sets

> Notes

> Column options



> Handset options



> Accessories





S = Standard included in EU stock products

Meet (180°)

SKU: AK3YJYT-TYZF3-A.180

> Product dimensions



> Parameters


Leg orientation	: square
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 2000 - 3000 mm
Table top bracket	: 900 mm
Foot length	: 900 mm
Max. lifting capacity	: 150 kg
Max. speed	: 38 mm/s
Noise level	: < 50 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: box 1/2: 875 (l) * 475 (w) * 140 (h) mm : box 2/2: 1055 (l) * 365 (w) * 195 (h) mm
Net weight	: box 1 = 26,5 kg / box 2 = 25,5 kg
Gross weight	: box 1 = 20 kg / box 2 = 19 kg
Container quantities	: 20 GP / 140 sets : 40 HC / 336 sets

> Notes

> Column options



> Handset options



> Accessories




S = Standard included in EU stock products



32 > Block



Quadruple motor desks



Block

SKU: AK4YJYT-TYZF3

> Product dimensions



> Parameters

Leg orientation	: square
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 860 - 1400 x 1000 mm
Table top bracket	: 2 * 1000 mm
Foot length	: 2 * 1000 mm
Max. lifting capacity	: 200 kg
Max. speed	: 40 mm/s
Noise level	: < 50 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: box 1/2: 1150 (l) * 320 (w) * 220 (h) mm : box 2/2: 1150 (l) * 320 (w) * 220 (h) mm
Net weight	: box 1 = 32 kg / box 2 = 30,5 kg
Gross weight	: box 1 = 32 kg / box 2 = 30,5 kg
Container quantities	: 20 GP / 140 sets : 40 HC / 300 sets

> Notes

> Column options



TYZF3 column

TYZF2 column

> Handset options



TDH2 handset

TDH6 handset

TH14 handset

> Accessories



cabinet

wireless charger

CPU-holder

table tops

S = Standard included in EU stock products




36 > Flex DUO

38 > Smart DUO

40 > Handle DUO

Bench desks




desks



Flex DUO

SKU: (AK2YJYT-YZB3-BM)*2

> Product dimensions



> Parameters

Leg orientation	: rectangular
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 mm
Table top bracket	: 600 mm
Max. lifting capacity	: 80 kg per side
Max. speed	: 40 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 2 years
Anti-collision type	: gyroscope
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: box 1/2 frame: 1075 (l) * 315 (w) * 275 (h) mm : box 2/2 frame: 1075 (l) * 315 (w) * 275 (h) mm : box cable tray: 965 (l) * 220 (w) * 110 (h) mm : box partition panel: 240 (l) * 150 (w) * 70 (h) mm
Weight	: 1/2 frame: 30,4 kg (N.W.) / 33,3 kg (G.W.) : 2/2 frame: 30,4 kg (N.W.) / 33,3 kg (G.W.) : bench cable tray: 9,7 kg (N.W.) / 10,9 kg (G.W.) : bench partition panel: 1,3 kg (N.W.) / 1,4 kg (G.W.)

Container quantities	: 20 GP / 112 sets : 40 HC / 288 sets
----------------------	--


> Column options



> Handset options



> Accessories






S = Standard included in EU stock products



Smart DUO

SKU: (AK2YJYT-TYZB3-A)*2

> Product dimensions



> Parameters

Leg orientation	: rectangular
Height adjustable range	: 625 - 1275 mm
Frame adjustable size	: 1075 - 1800 mm
Table top bracket	: 600 mm
Max. lifting capacity	: 120 kg per side
Max. speed	: 40 mm/s
Noise level	: < 45 dB
Input	: 110 - 230V
Warranty period	: 5 years
Anti-collision type	: T-touch (gyroscope)
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: box 1/3: 1075 (l) * 315 (w) * 275 (h) mm : box 2/3: 1075 (l) * 315 (w) * 275 (h) mm : box 3/3: 1105 (l) * 465 (w) * 130 (h) mm
Weight	: 1/2 frame: 25 kg (N.W.) / 26,5 kg (G.W.) : 2/2 frame: 25 kg (N.W.) / 26,5 kg (G.W.) : bench cable tray: 18 kg (N.W.) / 19 kg (G.W.)


Container quantities : 20 GP / 90 sets - 40 HC / 210 sets

> Notes

> Column options



> Handset options



> Accessories






S = Standard included in EU stock products

Handle DUO

SKU: (AK2YJHT-Y-A-H)*2



> Product dimensions



> Parameters

- Leg orientation : rectangular
- Height adjustable range : 680 - 1130 mm
- Frame adjustable size : 1150 - 1800 mm
- Table top bracket : 600 mm
- Foot type : plastic foot pad
- Max. lifting capacity : 80 kg per side
- Height adjustable : manually by hand crank
- Max. speed : 8 mm/turn
- Warranty period : 5 years
- Available in : ● black (RAL 9005)
: ● white (RAL 9010)
: ● aluminum (RAL 9006)

> Packing information

- Dimensions : box 1/3: 1075 (l) * 315 (w) * 275 (h) mm
: box 2/3: 1075 (l) * 315 (w) * 275 (h) mm
: box 3/3: 1105 (l) * 465 (w) * 130 (h) mm
- Weight : 1/2 frame: 22 kg (N.W.) / 23,2 kg (G.W.)
: 2/2 frame: 22 kg (N.W.) / 23,2 kg (G.W.)
: bench cable tray: 18 kg (N.W.) / 19,5 kg (G.W.)
- Container quantities : 20 GP / 90 sets
: 40 HC / 210 sets

> Notes

> Column options



A column

> Accessories



single monitor arm



double monitor arm



metal cable tray




plastic cable tube



personal drawer



cabinet



wireless charger



CPU-holder



table tops



partition panels


= Standard included in EU stock products



desks

44 > Handle


Hand crank desks





Handle

SKU: AK2YJHT-Y-AJ-H

> Product dimensions



36



> Parameters


Leg orientation	: rectangular
Height adjustable range	: 680 - 1130 mm
Frame adjustable size	: 1150 - 1800 mm
Table top bracket	: 600 mm
Foot length	: 700 mm
Max. lifting capacity	: 80 kg
Height adjustable	: manually by hand crank
Max. speed	: 8 mm/turn
Warranty period	: 5 years
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)

> Packing information

Dimensions	: 1075 (l) * 315 (w) * 245 (h) mm
Net weight	: 24,5 kg
Gross weight	: 26,5 kg
Container quantities	: 20 GP / 256 sets : 40 HC / 648 sets

> Notes


> Column options



Y-AJ column

Y-A column

> Accessories




single monitor arm

double monitor arm

metal cable tray

plastic cable tube

personal drawer



cabinet

wireless charger

CPU-holder

table tops

S = Standard included in EU stock products



48 > Enhance

49 > Advance

50 > Raise

Desk risers

Desk risers



Enhance

SKU: AK-MR-P13-2

> Parameters

Type of desk riser	: pneumatic desk riser
Height range for top	: 55 - 408 mm
Max. lifting capacity	: 8 kg
Warranty period	: 2 years

> Packing information

Dimensions	: 700 (l) * 530 (w) * 120 (h) mm
Net weight	: 12 kg
Gross weight	: 13 kg



Advance


SKU: AK-MR-E03S

> Parameters

Type of desk riser	: electric desk riser
Height range	: for top: 150 - 550 mm : for keyboard: 20 - 420 mm
Max. lifting capacity	: 20 kg
Speed	: 15 mm/s
Input	: 100 - 240V, 50/60 Hz, 1A
Noise level	: < 50 dB
Warranty period	: 5 years

> Packing information

Dimensions	: 990 (l) * 650 (w) * 250 (h) mm
Net weight	: 27 kg
Gross weight	: 28,6 kg



Raise

SKU: AK-MS03

> Parameters

Type of desk riser	: monitor raiser
Sizes	: 560 (l) * 210 (w) * 80 (h) mm
Load capacity	: 20 kg
Glass type	: tempered
Warranty period	: 2 years

> Packing information

Dimensions	: 630 (l) * 250 (w) * 50 (h) mm
Gross weight	: 2,2 kg
Units per big carton	: 5 units



Seating



54 > Basic

55 > Air

56 > Comfy


57 > Balance

Seating



Basic

SKU: AK-C01



By combining ergonomics, design and exclusive quality, AK-C01 creates a seating experience of both luxury and simple simplicity and can, therefore, be seamlessly integrated into any room concept. In addition, this chair is EN-1335 certified.

- Ergonomic office chair according to EN-1335 certificate;
- Equipped with a synchronous mechanism;
- Can be locked in 4 positions with kickback protection;
- Depth adjustment trough sliding the seat;
- Adjustable body weight;
- 3D-adjustable armrest with soft pad;
- Height-adjustable backrest;
- Plastic design footstool;
- Multifunctional wheels 60 mm;
- Upholstery with 100,000 Martindale;
- 5-year warranty.

➤ Packing information


Units per box	: 1 unit
Dimensions	: 730 (l) * 380 (w) * 640 (h) mm
Gross weight	: 19 kg

A modern office chair with practical adjustment options and at the same time an elegant design. The sophisticated combination of breathable mesh fabric and hard-wearing material ensures maximum comfort and a pleasant sitting climate at all times.

- Ergonomic office chair according to EN-1335 certificate;
- Equipped with a synchronous mechanism;
- Can be locked in 4 positions;
- Depth adjustment trough sliding the seat;
- Adjustable body weight;
- 3D-adjustable armrest with soft pad;
- The backside is made of black mesh;
- Plastic design footstool;
- Multifunctional wheels 60 mm;
- Upholstery with 100,000 Martindale;
- 5-year warranty.

➤ Packing information

Units per box	: 1 unit
Dimensions	: 700 (l) * 320 (w) * 650 (h) mm
Gross weight	: 19 kg



Air

SKU: AK-C02



Comfy

SKU: AK-C03



Optional: headrest

The ergonomic office chair AK-C03 with Donati base, is manufactured with quality materials and has a superior finish. The AK-C03 offers a high level of seating comfort thanks to its individual adjustment options such as seat depth, height, sit-angle, and the 4-way adjustable synchronous mechanism.

- Ergonomic office chair according to EN-1335 certificate;
- Donati mechanism (4 positions with synchronous adjustment);
- Can be locked in 4 positions;
- Depth adjustment trough sliding the seat;
- Adjustable seat angle;
- Flexible height-adjustable backrest;
- 4D-adjustable armrest;
- Multifunctional wheels 60 mm;
- Upholstery with 130,000 Martindale;
- Suitable for up to 120 kg;
- 5-year warranty.

➤ Packing information

Units per box	: 1 unit
Dimensions	: 760 (l) * 400 (w) * 650 (h) mm
Gross weight	: 21 kg

The Sit-stand stool AK-SH01 is a balance stool with a preformed ergonomic seat and is especially suitable for sit/stand work. The seat is height adjustable by means of a gas lift. The dish foot creates imbalance and gives your body an impulse to sit upright with a fairly large open seating area.

- With the paddle, it's easy to adjust the height of the stool;
- The stool is fitted with foam;
- 360° swivel: the stool can be rotated 360 degrees;
- Portability: the handle makes it easy to move the stool;
- The stool is provided with a gas lift;
- 5-year warranty.

➤ Packing information

Units per box	: 1 unit
Dimensions	: 490 (l) * 420 (w) * 280 (h) mm
Gross weight	: 9,8 kg



Balance

SKU: AK-SH01



60 > Monitor arms

60 > Metal cable tray

61 > Plastic cable tube

61 > Bench connection beam

62 > Anti-fatigue mat

62 > Anti-collision sensor

63 > Wireless charger

63 > Universal CPU holder

64 > Personal drawer

64 > Metal cabinet


Accessories



Monitor arms | SKU: AK-MA02S / AK-MA02D

> Parameters

Suitable monitor size	: 14" - 32"
Rotation angle	: 360°
Height adjustable range	: 240 mm
Weight capacity	: 2 - 9 kg
Material	: ABS & aluminum
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)




Metal cable tray | SKU: CM.800

This cable tray can be used to hide cables. The cable tray must be screwed to the table top.

> Parameters

Length	: 800 mm
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)



Plastic cable tube | SKU: CT.128.H / CT.132.B

Cables are always a problem in an office. Cable tubes allow the cables to be neatly concealed, which makes the office look more clean. We have two types of cable tubes; one is for a single workspace and is equipped with a heavy base that lays on the floor. The other version, the bench cable tube can be assembled to the bottom of the cable tray of the bench.

> Parameters

Length	: 1280 mm
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)




Bench connection beam | SKU: BCB

With this bench connection beam it is possible to conceal the cables in a neat way. The connection beam can be linked to two benches by means of a magnet.

> Parameters

Sizes	: 310 (l) * 60 (w) mm
Material	: steel
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)




Anti-fatigue mat | SKU: AFM.900.610

Standing at your desk can sometimes cause tired feet and legs. By using an anti-fatigue mat this phenomenon can be prevented. This makes it even more pleasant to use the sit/stand desk. In short, an important addition to your workplace!



> Parameters

Sizes	: 900 (l) * 610 (w) * 19 (h) mm
Material	: TPE
Available in	: ● black
Packing information	: 1 unit, 950 (l) * 650 (w) * 30 (h) mm, 1,5 kg



Anti-collision sensor | SKU: TCS1

With this anti-collision sensor you limit damage to the desk and/or devices nearby. Also the safety of the user will increase. As soon as the sensor detects that the desk is colliding with an obstacle, the desk stops moving.



Wireless charger | SKU: WP-W21-001

With the wireless charger WP-W01, you can charge your mobile devices extra fast wirelessly. This charger supports wireless fast charging for all mobile devices that support this function.

> Parameters

Diameter	: 80 mm
Thickness	: 12 mm
Material	: plastic
Available in	: ● black : ● white



Universal CPU holder | SKU: CPU.UNI

The CPU holder is suitable for computers of up to 14 kilos. It is being attached under the desk to allow the PC to be placed freely from the floor. This reduces the risk of dust and damage.

> Parameters

Height adjustable	: 300 - 455 mm
Width adjustable	: 135 - 245 mm
Available in	: ● black (RAL 9005) : ● white (RAL 9010) : ● aluminum (RAL 9006)



Personal drawer | SKU: PERS.DR

Nowadays, less and less documentation material is needed. That's why this personal drawer is the perfect solution. It is equipped with a pen tray and has a lock to keep your belongings safe.

➤ Parameters

Dimensions	: 300 (l) * 390 (w) * 90 (h) mm
Lock	: including 2 keys
Available in	: ● black (RAL 9005)
	: ● white (RAL 9010)
	: ● aluminum (RAL 9006)



Metal cabinet | SKU: CAB.3


This drawer unit is equipped with telescopic slides, a pen tray and a drawer with a lock. This will ensure that your belongings are safely stored.

➤ Parameters

Dimensions cabinet	: 580 (w) * 420 (d) * 540 (h) mm
Dimension drawers	: 560 (w) * 420 (d) * 155 (h) mm
Available in	: ● black (RAL 9005)
	: ● white (RAL 9010)
	: ● aluminum (RAL 9006)



Leg covers



Cubic cover

Meet cover

Duo cover

Leg covers

- Cubic cover | SKU: AK-ZTPJ-800
- Meet cover | SKU: AK-ZTPJ-1000
- Duo cover | SKU: AK-ZTPJ-1660

These leg covers are suitable to put on the legs of the frames. They are used to make the workplace look neat and tidy.

> Parameters

Dimensions	: AK-ZTPJ-800: 800 (l) * 95 (w) * 475 (h) mm
	: AK-ZTPJ-1000: 1000 (l) * 95 (w) * 475 (h) mm
	: AK-ZTPJ-1660: 1660 (l) * 95 (w) * 475 (h) mm
Available in	: ● black (RAL 9005)
	: ● white (RAL 9010)
	: ● aluminum (RAL 9006)

Partition panels



Partition panels

Partition panel 160 x 80cm | SKU: PRP.160.80

Partition panel 180 x 80cm | SKU: PRP.180.80


Partition panels ensure a neat separation in a large office environment. Not only does it contribute to privacy, but it also improves the acoustics in the room. The use of partition panels is often being experienced as very pleasant by users. Partition panels in light grey and dark grey are available from stock. In addition, the fabric used has a certificate for fire safety. Interested in a different size or colour? Please contact us.

> Sizes

- 1600 * 800 * 30 mm

- 1800 * 800 * 30 mm

Table tops



White



Robson oak



Logan oak

Table tops

In order to be able to deliver the total package, we also supply table tops. There are three colours that we can deliver quickly: White, Robson oak and Logan oak. Other colours can only be ordered on request. Please keep in mind that these have a lead time of 5 weeks.

➤ **Standard sizes**

- : 1200 * 800 * 25 mm
- : 1400 * 800 * 25 mm
- : 1600 * 800 * 25 mm
- : 1800 * 800 * 25 mm

All other sizes are available on request.

Table tops



Table top packaging

Sending table tops is often a problem that many people encounter because table tops are quickly damaged during transport. For this reason we have developed a table top packaging that makes it possible to ship table tops with standard parcel carriers such as UPS, DHL or TNT!



74 > Lifting columns

75 > Feet


76 > Control boxes

78 > Handsets


Parts

Lifting columns


Single motor lifting columns




Hand crank lifting columns



Dual motor lifting columns



Feet



> Notes

Control boxes



TC11

➤ General features

- Built-in transformer : SMPS
- Standby power cons. : 0.1W
- Maximum output : 32V DC, 2.5A
- Number of actuators : 1



TC15

➤ General features

- Built-in transformer : SMPS
- Standby power cons. : 0.1W
- Maximum output : 32V DC, 4A
- Number of actuators : 2
- Supports anti-collision (Anti-collision system by difference in power consumption).
- Synchronous movement.



TC15S

➤ General features

- Built-in transformer : SMPS
- Standby power cons. : 0.1W
- Maximum output : 32V DC, 2.5A
- Number of actuators : 2
- Supports T-touch anti-collision (T-touch anti-collision with three axes motion sensor).
- Supports Bluetooth built-in.
- Supports height adjustable lock.
- Synchronous movement.



TC16

➤ General features

- Built-in transformer : SMPS
- Standby power cons. : 0.1W
- Maximum output : 32V DC, 4A
- Number of actuators : 3
- Supports anti-collision (Anti-collision system by difference in power consumption).
- Synchronous movement.



T16P

➤ General features

- Built-in transformer : SMPS
- Standby power cons. : 0.1W
- Maximum output : 32V DC, 4A
- Number of actuators : 3
- Supports T-touch anti-collision (T-touch anti-collision with three axes motion sensor).
- Supports Bluetooth built-in.
- Supports height adjustable lock.
- Synchronous movement.




WP-CB01-001

➤ General features

- Built-in transformer : SMPS
- Standby power cons. : 0.1W
- Maximum output : 32V DC, 4A
- Number of actuators : 2
- Supports anti-collision (Anti-collision system by beams of a gyroscope).
- Supports height adjustable lock.
- Synchronous movement.

Our control boxes are all specially designed for use of height adjustable desks.

Handsets



TDH18P

> General features

- Maximum available buttons : 5
- Display : 3-digit display shows height of the desk
- Color : black
- Memory functionality : 3 settings
 - Compatible with the TWD1 (Bluetooth adapter).*
 - With 2 USB charging ports and safety lock button.

* The desk can be controlled by Bluetooth when using the TWD1 (Bluetooth adapter).

WP-H01

> General features

- Maximum available buttons : 7
- Display : 3-digit display shows height of the desk
- Color : black
- Memory functionality : 4 settings
 - With 1 USB charging port and safety lock button.



TDH2

> General features

- Maximum available buttons : 6
- Option : Anti-pulling tube
- Display : 3-digit display shows height of the desk
- Color : black
- Memory functionality : 3 settings



TDH6

> General features

- Maximum available buttons : 7
- Display : 3-digit display shows height of the desk
- Color : black
- Memory functionality : 4 settings



TH14

> General features

- Maximum available buttons : 2
- Color : black

➤ **AOKE FACTORY**

No.160 North Huanzhen Road, Science and Technology Park Jiangshan Town, Ningbo City

+86-574-88193751 - +86-574-88193756

+86-574-88193752

www.nbaoke.com - www.aokefurniture.com

➤ **AOKE OFFICE**

Room 602 Li Shi Business Building, No.82 Taiyuxiang Yinzhou Ningbo 315100 Zhejiang China

+86-574-88193751

+86-574-88193752

sales_01@aokefurniture.com

www.nbaoke.com - www.aokefurniture.com

➤ **AOKE SOUTHEAST ASIA CO., LTD.**

15/46 Moo.18 Lam Luk Ka Rd., Khukhot, Lumlukka, Pathumthani Thailand 12130

+66-2035 7029

sale@aokesoutheastasia.com

www.aokefurniture.com

➤ **AOKE EUROPE B.V.**

Edisonweg 10, 6101 XJ Echt, The Netherlands

+31-475 72 98 90

sales@aoke-europe.com

www.aoke-europe.com

2021 > 2022